

DMR Copy of Record

Permit

Permit #:

MAR053712

Major:

No

Permittee:

ReEnergy Holdings

Permittee Address:

101 Gerard Street
Roxbury, MA 02119

Facility:

REENERGY ROXBURY, INC.

Facility Location:

101 GERARD STREET
ROXBURY, MA 02119

Permitted Feature:

001
External Outfall

Discharge:

001-ZK
Zinc: Water Hardness 250+ mg/l

Report Dates & Status

Monitoring Period:

From 10/01/19 to 12/31/19

DMR Due Date:

02/29/20

Status:

NetDMR Validated

Considerations for Form Completion

Principal Executive Officer

First Name:

Last Name:

Title:

Telephone:

No Data Indicator (NODI)

Form NODI:

--

Submission Note

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

Edit Check Errors

No errors.

Comments

Total Hardness was measured at 98.8 mg/L.

Attachments

Name	Type	Size
RoxburyMA_Weather_11-18-19.pdf	pdf	101128.0

Report Last Saved By

ReEnergy Holdings

User:

FBRUNEAU

Name:

Frederic Bruneau

E-Mail:

fbruneau@reenergyholdings.com

Date/Time:

2019-12-30 16:13 (Time Zone: -05:00)

Report Last Signed By

User:

FBRUNEAU

Name:

Frederic Bruneau

E-Mail:

fbruneau@reenergyholdings.com

Date/Time:

2019-12-30 16:25 (Time Zone: -05:00)